

Chemical highly accurate Mechanical Planarizer

ChaMP



TOKYO SEIMITSU







Combining the technological expertise built up by Accretech in precision measuring equipment and semiconductor manufacturing equipment, we now offer the ChaMP Series, the CMP systems compatible with 300 mm wafers, with process performance required by design rules for 90 nm and 65 nm devices, and able to keep up with the most advanced volume-production fabs.

Air-float Head "Sylphide"


- Reference polishing is made possible via an air cushion that provides uniform pressure distribution.
- Wafer pressure is applied by an airbag independent of ring pressure, providing excellent low-pressure controllability and stability.
- Zone control is available.



Edge Exclusion of 1 mm!




Wafer Pressure Controllability & Repeatability




For Mass Production Processes Supporting 65 nm to 45 nm

Cleaning technology for Low-k materials




Makes possible watermark-free drying with high levels of cleanness for even highly hydrophobic Low-k materials.


Path towards improved production efficiency and reduced costs



We will continue to move forward with development, making highly productive and low cost CMP processes a reality.


Optical End-Point Detection System






Easy maintenance of heads: Replacement of polishing head is unnecessary and the maintenance is finished in one minute.

Our unique head design allows you to renew membranes and rings very quickly and safely.



Slide the snap ring cover up with both hands.



Spread the snap ring with your thumb. And the retaining ring drops off.



The retaining ring is now removed.



Standard Model

ChaMP-232

ChaMP-332

For 300mm wafers

- Supports all types of application with a 3 platen, 2 head configuration.
- All machines supporting 300 mm/ 200 mm/ 150 mm wafers are equipped with similarly conceived polishing heads and EPD system.

Tokyo Seimitsu Co., Ltd.

http://www.accretech.jp/

Fax:+81(0)42-631-5234

International Marketing Dept. Japan Tel:+81(0)42-642-0381

North America

Accretech America Inc.

(Head Office)

Tel: +1-214-459-1688 Fax: +1-214-459-1696

(Fremont Office)

Tel: +1-510-344-5411 Fax: +1-510-344-5410

(Boise Office)

Tel: +1-208-429-6500 Fax: +1-208-429-6555

Europe

Accretech (Europe) GmbH

(Head Office)

Tel: +49(0)89-546788-0 Fax: +49(0)89-546788-10

Korea

Accretech Korea Co., Ltd.

(Head Office / Seongnam)

Tel: +82(0)31-786-4000 Fax: +82(0)31-786-4090

Taiwan

Accretech Taiwan Co., Ltd.

Tel: +886(0)3-5531300 Fax: +886(0)3-5531319

Malaysia

Accretech (Malaysia) Sdn. Bhd.

(Head Office)

Tel: +60-3-5632-7489 (Kulim Office)

Tel: +60-4-493-0082 Fax: +60-4-493-0082

Singapore

Accretech (Singapore) Pte. Ltd.

Tel: +65-6341-6052 Fax: +65-6341-6054

Thailand

Tokyo Seimitsu (Thailand) Co., Ltd.

(Semiconductor)

Tel: +66-2-617-9497, 9498 Fax: +66-2-617-9499

China

Accretech (China) Co., Ltd.

(Head Office / Shanghai) Tel: +86(0)21-3887-0801 (Beijing Office)

Tel: +86(0)10-8490-4771 (Shenzhen Office) Tel: +86(0)755-2515-9842

(Chongqing Office)
Tel: +86(0)23-6295-5061
(Chengdu Office)

Tel: +86(0)28-8738-2279 (Suzhou Office) Tel: +86(0)512-6265-6436

(Wuxi Office) Tel: +86(0)510-8101-7346 (Xian Office)

Tel: +86(0)29-8886-3499

Fax: +86(0)21-3887-0805

Fax: +86(0)10-8447-7010

Fax: +86(0)755-2515-7737

Fax: +86(0)23-6295-5060

Fax: +86(0)28-8738-2279
Fax: +86(0)512-6265-6435

Fax: +86(0)510-8101-7346

Fax: +86(0)29-8886-3499